



SAFETY DATA SHEET

1. Identification

Product identifier: DUST UP FLOOR DRESSING & DUST MOP TREATMENT

Other means of identification

SDS number: RE1000008142

Canadian Importer

Advantage Maintenance Products Ltd.

105 Scott Ave

Paris, ON N3L 3E7

(519) 442-7881

Recommended restrictions

Recommended use: Coating

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 8001 KEELE STREET
VAUGHAN, ONTARIO L4K 1Y8

Telephone: 1-800-252-4731

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Aspiration Hazard Category 1

Environmental Hazards

Acute hazards to the aquatic environment Category 2

Chronic hazards to the aquatic environment Category 2

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.
May be fatal if swallowed and enters airways.
Toxic to aquatic life with long lasting effects.



Precautionary Statements

- Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment.
- Response:** IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Collect spillage.
- Storage:** Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light		64742-47-8	60 - 80%
White mineral oil (petroleum)		8042-47-5	7 - 13%
Propane		74-98-6	5 - 10%
Naphtha (petroleum), heavy alkylate		64741-65-7	3 - 7%
Terpenes and Terpenoids, sweet orange-oil		68647-72-3	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

- Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
- Inhalation:** Move to fresh air.
- Skin Contact:** Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.
- Eye contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.



5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

7. Handling and storage

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities: Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3



8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light	TWA	525 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbon vapor	TWA	200 mg/m ³	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m ³	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbons	8 HR ACL	200 mg/m ³	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	250 mg/m ³	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	TWA	200 mg/m ³	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
	TWA	200 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m ³	US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	200 mg/m ³	US. ACGIH Threshold Limit Values, as amended (2008)
White mineral oil (petroleum) - Mist.	STEL	10 mg/m ³	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
	TWA	5 mg/m ³	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
White mineral oil (petroleum) - Mist.	TWA	1 mg/m ³	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
White mineral oil (petroleum)	8 HR ACL	5 mg/m ³	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	15 MIN ACL	10 mg/m ³	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m ³	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
White mineral oil (petroleum) - Mist.	TWA	5 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
	TWA	5 mg/m ³	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
	STEL	10 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m ³	US. ACGIH Threshold Limit Values, as amended (01 2010)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)



Propane	TWA	1,000 ppm 1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Naphtha (petroleum), heavy alkylate	8 HR ACL	400 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Naphtha (petroleum), heavy alkylate	TWA	400 ppm 1,590 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (07 2009)
	15 MIN ACL	500 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Naphtha (petroleum), heavy alkylate	TWA	525 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (11 2010)
Naphtha (petroleum), heavy alkylate	TWA	400 ppm 1,590 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended (10 2006)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	8 HR ACL	5 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007)
	15 MIN ACL	10 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	TWA	5 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (06 2015)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm	US. ACGIH Threshold Limit Values, as amended (01 2010)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	15 MIN ACL	30 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
	8 HR ACL	20 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm 112 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	TWA	20 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)



Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	TWA	20 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended (12 2007)
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	8 HR ACL	20 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	TWA	20 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended (03 2011)
	15 MIN ACL	30 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended (05 2009)
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	TWA	20 ppm 112 mg/m ³	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment), as amended (09 2017)
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended (2008)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Observe good industrial hygiene practices. When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
pH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.
Flash Point: -104 °C
Evaporation rate: No data available.
Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): Estimated 9.5 %(V)
Flammability limit - lower (%): Estimated 2.2 %(V)
Explosive limit - upper (%): No data available.



Explosive limit - lower (%):	No data available.
Vapor pressure:	2,275 - 3,654 hPa (20 °C)
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
----------------------	--



Specified substance(s):

Distillates (petroleum), hydrotreated light	LD 50 (Rat): > 5,000 mg/kg
White mineral oil (petroleum)	LD 50 (Rat): > 5,000 mg/kg
Propane	LD 50: > 5,000 mg/kg
Naphtha (petroleum), heavy alkylate	LD 50: > 5,000 mg/kg
Terpenes and Terpenoids, sweet orange-oil	LD 50: > 5,000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light	LD 50 (Rabbit): > 2,000 mg/kg
White mineral oil (petroleum)	LD 50 (Rabbit): > 2,000 mg/kg
Propane	LD 50: > 5,000 mg/kg
Naphtha (petroleum), heavy alkylate	LD 50: > 5,000 mg/kg
Terpenes and Terpenoids, sweet orange-oil	LD 50: > 5,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light	LC 50: > 100 mg/l LC 50: > 100 mg/l
White mineral oil (petroleum)	LC 50: > 100 mg/l LC 50: > 100 mg/l LC 50 (Rat): > 5 mg/l
Propane	LC 50: > 100 mg/l LC 50: > 100 mg/l
Naphtha (petroleum), heavy alkylate	LC 50: > 100 mg/l LC 50: > 100 mg/l
Terpenes and Terpenoids, sweet orange-oil	LC 50: > 100 mg/l LC 50: > 100 mg/l

Repeated dose toxicity

Product: No data available.



Specified substance(s):

Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m ³ Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
White mineral oil (petroleum)	NOAEL (Rat(Female, Male), Oral, 90 d): >= 20,000 ppm(m) Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study
White mineral oil (petroleum)	in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating
White mineral oil (petroleum)	Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising
White mineral oil (petroleum)	Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

ACGIH Carcinogen List:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.



Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light May be fatal if swallowed and enters airways.

White mineral oil
(petroleum) May be fatal if swallowed and enters airways.

Naphtha (petroleum),
heavy alkylate May be fatal if swallowed and enters airways.

Terpenes and
Terpenoids, sweet
orange-oil May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

White mineral oil
(petroleum) NOAEL (Oncorhynchus mykiss, 96 h): ≥ 100 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Terpenes and
Terpenoids, sweet
orange-oil LC 50 (96 h): < 10 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

White mineral oil
(petroleum) NOAEL (Daphnia magna, 48 h): ≥ 100 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.



Specified substance(s):

Distillates (petroleum), hydrotreated light NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

White mineral oil (petroleum) NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

White mineral oil (petroleum) NOAEL (Daphnia magna): >= 1,000 mg/l QSAR QSAR, Supporting study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light 61 % Detected in water. Experimental result, Supporting study

White mineral oil (petroleum) 31 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Supporting study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Terpenes and Terpenoids, sweet orange-oil < 70 %

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Distillates (petroleum), hydrotreated light No data available.

White mineral oil (petroleum) No data available.

Propane No data available.

Naphtha (petroleum), heavy alkylate No data available.

Terpenes and Terpenoids, sweet orange-oil No data available.

Other adverse effects: Toxic to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.



Contaminated Packaging: No data available.

14. Transport information

TDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	–
EmS No.:	
Packing Group:	–
Environmental Hazards:	Yes
Special precautions for user:	None known.

IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	–
EmS No.:	F-D, S-U
Packing Group:	–
Environmental Hazards:	Yes
Special precautions for user:	None known.

IATA

UN Number:	UN 1950
Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	–
Packing Group:	–
Environmental Hazards:	Yes
Special precautions for user:	None known.
Cargo aircraft only:	Allowed.

15. Regulatory information

Canada Federal Regulations

List of Toxic Substances (CEPA, Schedule 1)

Chemical Identity

Distillates (petroleum), hydrotreated light
Terpenes and Terpenoids, sweet orange-oil

Export Control List (CEPA 1999, Schedule 3)

Chemical Identity

Distillates (petroleum), hydrotreated light
Terpenes and Terpenoids, sweet orange-oil



National Pollutant Release Inventory (NPRI)

Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5	Distillates (petroleum), hydrotreated light White mineral oil (petroleum) Propane Naphtha (petroleum), heavy alkylate Terpenes and Terpenoids, sweet orange-oil Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl- Bicyclo[3.1.1]heptane, 6,6-dimethyl-2-methylene-
----------	--

Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil
------	--

Greenhouse Gases

Chemical Identity

Distillates (petroleum), hydrotreated light
Terpenes and Terpenoids, sweet orange-oil

Controlled Drugs and Substances Act

CA CDSI	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil
CA CDSII	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil
CA CDSIII	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil
CA CDSIV	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil
CA CDSV	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil
CA CDSVII	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil
CA CDSVIII	Distillates (petroleum), hydrotreated light Terpenes and Terpenoids, sweet orange-oil

Precursor Control Regulations

Chemical Identity

Distillates (petroleum), hydrotreated light
Terpenes and Terpenoids, sweet orange-oil

International regulations

Montreal protocol

Distillates (petroleum), hydrotreated light
Terpenes and Terpenoids, sweet orange-oil

Stockholm convention

Distillates (petroleum), hydrotreated light
Terpenes and Terpenoids, sweet orange-oil

Rotterdam convention

Distillates (petroleum), hydrotreated light
Terpenes and Terpenoids, sweet orange-oil

Kyoto protocol



Inventory Status:

EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.
Canada DSL Inventory List:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
Australia AICS:	On or in compliance with the inventory
Ontario Inventory:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision

Issue Date:	03/09/2022
Revision Date:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.